


# INSTALLATION INSTRUCTIONS

Model: **COLONNADE**  
Fixture Family: **OW1041, 43, 45, 47, 49, 51, 53, 55**  
Document Description: Installation Instructions for Colonnade  
Colonnade Series Luminaires

**VISA LIGHTING**  
AN OLDENBURG GROUP COMPANY  
1717 West Civic Drive Milwaukee, WI 53209  
414-354-6600  
Design Modification Rights Reserved  
© Visa Lighting



\*Style may vary

## COLONNADE

**OW1041    OW1043    OW1045**  
**OW1047    OW1049    OW1051**  
**OW1053    OW1055**

## SHEET 2: INSTALLATION INSTRUCTIONS

## SHEET 3: CAULKING INSTRUCTIONS

Drawing: 760881XX

Rev: A

Sheet: 1 of 3

Eng: CLD

Date Drawn: 11/1/16


**!** When using electrical equipment, basic safety precautions should always be followed, including the following:

- Read all instructions carefully before installing and save for future use.
- Make sure all connections are in accordance with the National Electrical Code and local regulations.
- To avoid possible electric shock, be sure the power supply is turned off before servicing or installing the fixture.
- Service should be performed by qualified personnel.
- These instructions may not cover all details or variations. If additional information is needed, please contact Visa Lighting.

# INSTALLATION INSTRUCTIONS

Model: **COLONNADE**  
 Fixture Family: **OW1041, 43, 45, 47, 49, 51, 53, 55**  
 Document Description: Installation Instructions for Colonnade  
 Colonnade Series Luminaires

**VISA LIGHTING**  
 AN OLDENBURG GROUP COMPANY  
 1717 West Civic Drive Milwaukee, WI 53209  
 414-354-6600  
 Design Modification Rights Reserved  
 © Visa Lighting



1. Thread the 1 1/2" #8 set screws into the junction box (by others). Leave about 1" of the set screws coming off of the junction box.
2. Make electrical connection per code.
3. Mount the back plate to the mounting surface using the #8 set screws coming off of the junction box. Insert through the holes that are noted. Tighten down with the 8-32 nuts.
4. Attach the LED lamp plate to the backplate assembly. Insert the tabs on the one side and tighten down with the 8-32 nuts on the other side.
5. Caulk around the backplate with a silicone rubber caulk to provide a water-tight seal between the mounting surface and the fixture. See page 3 for caulking instructions.
6. Attach the lens housing to the backplate making sure the drain hole is facing down and then using #6 allen head screws (4) provided.

**!** When using electrical equipment, basic safety precautions should always be followed, including the following:


- Read all instructions carefully before installing and save for future use.
- Make sure all connections are in accordance with the National Electrical Code and local regulations.
- To avoid possible electric shock, be sure the power supply is turned off before servicing or installing the fixture.
- Service should be performed by qualified personnel.
- These instructions may not cover all details or variations. If additional information is needed, please contact Visa Lighting.

Drawing: 760881XX Rev: A Sheet: 2 of 3 Eng: CLD Date Drawn: 11/1/16

# INSTALLATION INSTRUCTIONS

Model: **COLONNADE**  
Fixture Family: **OW1041, 43, 45, 47, 49, 51, 53, 55**  
Document Description: Installation Instructions for Colonnade  
Colonnade Series Luminaires

**VISA LIGHTING**  
AN OLDENBURG GROUP COMPANY  
1717 West Civic Drive Milwaukee, WI 53209  
414-354-6600  
Design Modification Rights Reserved  
© Visa Lighting



## \*IMPORTANT NOTES WHEN INSTALLING:

- THIS FIXTURE IS NOT TO BE RECESSED INTO A WALL.
- MUST BE MOUNTED TO A FLAT SURFACE TO MAINTAIN PROPER SEAL.
- MAKE SURE THE DRAINAGE HOLE IS FACING DOWN.
- READ **ALL** INSTALLATION INSTRUCTIONS.

Drawing: 760881XX

Rev: A

Sheet: 3 of 3

Eng: CLD

Date Drawn: 11/1/16

**!** When using electrical equipment, basic safety precautions should always be followed, including the following:

- Read all instructions carefully before installing and save for future use.
- Make sure all connections are in accordance with the National Electrical Code and local regulations.
- To avoid possible electric shock, be sure the power supply is turned off before servicing or installing the fixture.
- Service should be performed by qualified personnel.
- These instructions may not cover all details or variations. If additional information is needed, please contact Visa Lighting.