CM1970-W, CM1972-W, CM1972-T SYMMETRY Model:


Fixture Family:

Document Description: Installation Instructions for

Symmetry Series Luminaires



414-354-6600 Design Modification Rights Reserved © Visa Lighting



**SYMMETRY** 

CM1970-W CM1972-W CM1972-T

When using electrical equipment, basic safety precautions should always be followed, including the following:

• Read all instructions carefully before installing and save for future use.

• Make sure all connections are in accordance with the National Electrical Code and local regulations.

• To avoid possible electric shock, be sure the power supply is turned off before servicing or installing the fixture


• Service should be performed by qualified personnel.

• These instructions may not cover all details or variations. If additional information is needed, please contact Visa Lighting.

Date Drawn: 9/3/20

Document Description: Installation Instructions for Symmetry Series Luminaires 1717 West Civic Drive Milwaukee, WI 53209 414-354-6600 Design Modification Rights Reserved © Visa Lighting





When using electrical equipment, basic safety precautions should always be followed, including the following:

• Read all instructions carefully before installing and save for future use.

• Make sure all connections are in accordance with the National Electrical Code and local regulations.

• To avoid possible electric shock, be sure the power supply is turned off before servicing or installing the fixture

• Service should be performed by qualified personnel.

• These instructions may not cover all details or variations. If additional information is needed, please contact Visa Lighting.


CM1970-W, CM1972-W, CM1972-T Model:

Fixture Family: SYMMETRY

Document Description: Installation Instructions for Symmetry Series Luminaires

AN OLDENBURG GROUP COMPANY 1717 West Civic Drive Milwaukee, WI 53209 414-354-6600 Design Modification Rights Reserved © Visa Lighting 2016

### SHEETROCK INSTALLATION:



\* Note: This fixture is supported from the structure above the sheetrock ceiling.

- Provide a framed opening for centering the fixture. The LED housing opening should measure 1. between 44-1/2" and 48" square. This will help support the fixture when it is fully installed.
- 2. Remove lens and trim frame. Reattach the trim frame screws to the LED housing for use later. The lens and trim frame are not reinstalled until all sheetrock work is completed.
- 3. Remove driver/wiring cover.
- Secure the fixture to the structure above using threaded rod and nuts into the (4)  $\emptyset$ .281 holes 4. provided (see page 2). Make sure to locate the fixture so the bottom of the square housing is 1-3/8" (+0.00"/-0.125") above the bottom of the finished surface. **NOTE**: Adjustment to the fixture height is done by raising or lowering the fixture using the threaded rods. Do not fully tighten the fixture yet.
- 5. Make all the electrical connections required and following local codes that apply.
- 6. Reattach driver/wiring cover.
- Complete sheetrock installation. **NOTE:** Protect LEDs during sheetrock installation and 7. finishing.
- 8. Once sheetrock is completed, cut circular opening for trim frame. **NOTE:** Opening diameter to be 43-3/4" to 44-1/4".
- 9. Remove trim frame screws and re-attach the trim frame to the housing. **NOTE**: If the trim frame is not flush with sheet rock, raise or lower fixture at the threaded rod.
- Re-attach the lens assembly.

When using electrical equipment, basic safety precautions should always be followed, including the following:

Read all instructions carefully before installing and save for future use.
Make sure all connections are in accordance with the National Electrical Code and local regulations.
To avoid possible electric shock, be sure the power supply is turned off before servicing or installing the fixture

Service should be performed by qualified personnel.

• These instructions may not cover all details or variations. If additional information is needed, please contact Visa Lighting.

CM1970-W, CM1972-W, CM1972-T SYMMETRY Model:

Fixture Family:

Document Description: Installation Instructions for Symmetry Series Luminaires

ISA LIGHTING 1717 West Civic Drive Milwaukee, WI 53209 414-354-6600 Design Modification Rights Reserved

LOCATIONS FOR SUPPORT WIRE

When using electrical equipment, basic safety precautions should always be followed, including the following:

• Read all instructions carefully before installing and save for future use.

• Make sure all connections are in accordance with the National Electrical Code and local regulations.

• To avoid possible electric shock, be sure the power supply is turned off before servicing or installing the fixture

• Service should be performed by qualified personnel.

• These instructions may not cover all details or variations. If additional information is needed, please contact Visa Lighting.

CM1970-W, CM1972-W, CM1972-T SYMMETRY Model:

Fixture Family:


Document Description: Installation Instructions for Symmetry Series Luminaires

ISA LIGHTING 1717 West Civic Drive Milwaukee, WI 53209 414-354-6600 Design Modification Rights Reserved © Visa Lighting

#### Wiring Instructions - Over Bed Units

- All AC inputs to fixture must be supplied from the same branch circuit. 1.
- AMBIENT LINE and EXAM LINE must both be energized to achieve EXAM light levels 2. on patient bed surface.

### **Dimensions:**



When using electrical equipment, basic safety precautions should always be followed, including the following:

• Read all instructions carefully before installing and save for future use.

• Make sure all connections are in accordance with the National Electrical Code and local regulations.

• To avoid possible electric shock, be sure the power supply is turned off before servicing or installing the fixture

• Service should be performed by qualified personnel.

• These instructions may not cover all details or variations. If additional information is needed, please contact Visa Lighting.

Drawing: **762262XX** 

Sheet: 5 of 6

CM1970-W, CM1972-W, CM1972-T Model:

Fixture Family: SYMMETRY

Document Description: Installation Instructions for Symmetry Series Luminaires 1717 West Civic Drive Milwaukee, WI 53209 414-354-6600 Design Modification Rights Reserved © Visa Lighting

## CM1972-T - TUNABLE WHITE

# "TUN5" option:


Each Symmetry Tunable White (TUN5) unit is built using two Lumenetix Araya LED kits. Fixtures are to be commissioned using the Araya Tunable Color iOS APP found in the App Store. When commissioning, combine the two kits into one group for best performance.

#### **DMX Color Output Guide (TUN5 only):**

ССТ	CRI	R9	Delivered Lumens	Power (Watts)	DMX Value
1650	91	82	3600	68	0
2700	93	99	7200	110	44
3000	91	94	8400	128	57
3500	90	91	10300	156	79
4000	90	93	10300	158	101
5000	90	77	10400	158	138
6500	90	76	10100	159	195
8000	89	70	8500	135	255

## "TUN2" option:

Each Symmetry Tunable White (TUN2) unit will require dual 0-10V control. One for dimming and the other for controlling the color temperature. The control wires from the current tuning control or CTC will adjust the color temperature. The dimming wires from the driver will dim the light output. See general wiring diagram below:



When using electrical equipment, basic safety precautions should always be followed, including the following:

Read all instructions carefully before installing and save for future use.
Make sure all connections are in accordance with the National Electrical Code and local regulations.
To avoid possible electric shock, be sure the power supply is turned off before servicing or installing the fixture

Service should be performed by qualified personnel.

• These instructions may not cover all details or variations. If additional information is needed, please contact Visa Lighting.

Drawing: **762262XX** 

Sheet: 6 of 6

Eng: AJN

Date Drawn: 9/3/20