

# CB3801 CORONA™

12" Sconce



[Visalighting.com/products/Corona](http://Visalighting.com/products/Corona)

Type: \_\_\_\_\_ Project: \_\_\_\_\_ Location: \_\_\_\_\_




## DIMENSIONS

Depth is measured from wall to front of fixture

W = Width H = Height D = Depth


W	12"	(305 mm)
H	5-3/8"	(137 mm)
D	9-1/4"	(235 mm)




## FEATURES

- Integral driver
- Modular design for replacement of LED source and driver
- Optional 90+ CRI
- Solite top lens standard
- Mounts to standard electrical junction box (by others) with provided hardware and auxiliary mounting holes
- Heavy gauge fabricated and welded housing
- No VOC powder coat paint
- ETL listed for damp locations. Not suited for exterior applications

## RELATIVE SCALE DRAWING



## PHOTOMETRICS



ETL Listed

5 Year Warranty

# CB3801 CORONA (cont.)

## 12" Sconce



Fill in shaded boxes using information listed below

<b>CB3801</b>	-	<b>MVOLT</b>		
<b>MODEL</b>	<b>SOURCE<sup>1</sup></b> L30K(H) L30K(L) L35K(H) L35K(L) L40K(H) L40K(L)	<b>VOLTAGE</b> MVOLT	<b>SOURCE OPTION<sup>2</sup></b> 90CRI	<b>FINISH</b>  See last page for finish order codes

### SOURCE<sup>1</sup> (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

SOURCE	CCT	Delivered Lumens	Power (Watts)
L30K(H)	3000K	1700	15
L30K(L)	3000K	1100	10
L35K(H)	3500K	1700	15
L35K(L)	3500K	1100	10
L40K(H)	4000K	1800	15
L40K(L)	4000K	1200	10

### VOLTAGE

<b>MVOLT</b>	120-277V, 50/60 Hz
--------------	--------------------

### SOURCE OPTION<sup>2</sup>

Minimum 80CRI within 3-step MacAdam is standard if option is not selected

<b>90CRI</b>	Color rendering index 93, minimum R9 value of 50 (lumen output reduced by 15%)
--------------	---

# CB3801 CORONA (cont.)

## 12" Sconce



### CORONA PRODUCT FAMILY

- CB3801 - 12" Sconce
- CB3804 - 24" Sconce
- CB3870 - 12" Sconce ADA
- CB3872 - 24" Sconce ADA

See [Visalighting.com/products/Corona](https://visalighting.com/products/Corona) for more information

### SUGGESTED VARIATIONS

- 2700K
- Custom color or material
- Special mounting capabilities
- Various fabricated housing profiles

### FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#). For more information about our finishes visit [visalighting.com/finishes](https://visalighting.com/finishes)

#### Powder Coat Paint Finishes (Standard)

<b>AGGY</b> Agate Grey	<b>ALGN</b> Alpine Green	<b>BJBG</b> Baja Beige	<b>BMAT</b> Bronze Matte	<b>BRNZ</b> Bronze	<b>BSIL</b> Blade Silver	<b>CVBL</b> Cove Blue
<b>DEOR</b> Deoro Gold	<b>GLWT</b> Glacier White	<b>GSIL</b> Graphite Silver	<b>HRGR</b> Harbor Grey	<b>JTBK</b> Jet Black	<b>OCBL</b> Ocean Blue	<b>SHGR</b> Shoreline Grey
<b>SBGN</b> Sagebrush Green	<b>SLGR</b> Slate Grey	<b>SSTP</b> Sierra Taupe	<b>TRCN</b> Terracotta Canyon	<b>TRWT</b> Traffic White	<b>VBLK</b> Velvet Black	<b>VNRD</b> Vineyard Red