

CB5500 BLUSH™

28" Sconce



Visalighting.com/products/Blush

Type: _____ Project: _____ Location: _____




DIMENSIONS

Depth is measured from wall to front of fixture

L = Length D = Depth W = Width


L	28"	(711 mm)
W	4"	(102 mm)
D	4"	(102 mm)




FEATURES

- Integral driver
- Modular design for replacement of LED source and driver
- Vertical or horizontal mounting
- Mounts over 2x4 standard electrical junction box (by others) with provided hardware (orient j-box horizontally or vertically to match fixture orientation)
- Optional junction box cover (JBC option) available for 4" junction box
- Optional Lumicor® diffuser material available
- No VOC powder coat paint finish; Low VOC clearcoat on metal finishes
- ETL listed for damp locations. Not suited for exterior applications

RELATIVE SCALE DRAWING



PHOTOMETRICS



XPS



ADA Compliant



ETL Listed



5 Year Warranty

CB5500 BLUSH (cont.)

28" Sconce



Fill in shaded boxes using information listed below

CB5500		- MVOLT				
MODEL	SOURCE¹ • L30K(H) • L30K(L) • L35K(H) • L35K(L) • L40K(H) • L40K(L)	VOLTAGE MVOLT	FRONT SHIELD FINISH See last page for finish order codes	HOUSING FINISH See last page for finish order codes	LENS OPTION² • KA • OLIN • SL Diffuser is matte white acrylic if no diffuser option is selected	OPTION(S)³ DCC XPS

SOURCE¹ (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

SOURCE	CCT	Delivered Lumens	Power (Watts)
• L30K(H)	3000K	1100	15
• L30K(L)	3000K	700	10
L35K(H)	3500K	1100	15
L35K(L)	3500K	700	10
• L40K(H)	4000K	1100	15
• L40K(L)	4000K	750	10

VOLTAGE

MVOLT	120-277V, 50/60 Hz
--------------	--------------------


LENS OPTION²

Diffuser is matte white acrylic if no diffuser option is selected

• KA	Kauri Lumicor
• OLIN	Oyster Linen Lumicor
• SL	Silver Spun Lumicor



KA



OLIN



SL

OPTIONS³ (Multiple Selections Allowed)

⚠ Option availability may be interdependent with Other Options

DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
XPS	Express 10 day shipping. Items marked with a bullet (●) are not available with XPS

CB5500 BLUSH (cont.)

28" Sconce



BLUSH PRODUCT FAMILY

- CB5500 - 28" Sconce
- CB5502 - 40" Sconce
- CB5504 - 52" Sconce

SUGGESTED VARIATIONS

- Different Lumicor insert
- Remove windows
- Increase fixture length
- Custom color or material

See [Visalighting.com/products/Blush](https://visalighting.com/products/Blush) for more information

FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#). For more information about our finishes visit visalighting.com/finishes

Powder Coat Paint Finishes (Standard)

AGGY Agate Grey	ALGN Alpine Green	BJBG Baja Beige	BMAT Bronze Matte	BRNZ Bronze	BSIL Blade Silver	CVBL Cove Blue
DEOR Deoro Gold	GLWT Glacier White	GSIL Graphite Silver	HRGR Harbor Grey	JTBK Jet Black	OCBL Ocean Blue	SHGR Shoreline Grey
SBGN Sagebrush Green	SLGR Slate Grey	SSTP Sierra Taupe	TRCN Terracotta Canyon	TRWT Traffic White	VBLK Velvet Black	VNRD Vineyard Red

Alternative Metal Finishes (Premium)

BBA Brushed Brass Alternative	BCA Brushed Chrome Alternative	BUA Brushed Copper Alternative	BZA Brushed Bronze Alternative
OBA Oil-Rubbed Bronze Alternative	PRA Pewter Alternative	RBA Rustic Brass Alternative	SNA Satin Nickel Alternative

Metal Finish (Premium)

BA Brushed Aluminum