

# CB5504 BLUSH™

52" Sconce



[Visalighting.com/products/Blush](http://Visalighting.com/products/Blush)

Type: \_\_\_\_\_ Project: \_\_\_\_\_ Location: \_\_\_\_\_




## DIMENSIONS

Depth is measured from wall to front of fixture

L = Length    D = Depth    W = Width


L	52"	(1321 mm)
W	4"	(102 mm)
D	4"	(102 mm)




## FEATURES

- Integral driver
- Modular design for replacement of LED source and driver
- Vertical or horizontal mounting
- Mounts over 2x4 standard electrical junction box (by others) with provided hardware (orient j-box horizontally or vertically to match fixture orientation)
- Optional junction box cover (JBC option) available for 4" junction box
- Optional Lumicor® diffuser material available
- No VOC powder coat paint finish; Low VOC clearcoat on metal finishes
- ETL listed for damp locations. Not suited for exterior applications

## RELATIVE SCALE DRAWING



## PHOTOMETRICS



XPS



ADA Compliant



ETL Listed



5 Year Warranty

# CB5504 BLUSH (cont.)

52" Sconce



Fill in shaded boxes using information listed below

<b>CB5504</b>		<b>MVOLT</b>				
<b>MODEL</b>	<b>SOURCE<sup>1</sup></b> • L30K(H) • L30K(L) • L35K(H) • L35K(L) • L40K(H) • L40K(L)	<b>VOLTAGE</b> MVOLT	<b>FRONT SHIELD FINISH</b>  See last page for finish order codes	<b>HOUSING FINISH</b>  See last page for finish order codes	<b>LENS OPTION<sup>2</sup></b> • KA • OLIN • SL  Diffuser is matte white acrylic if no diffuser option is selected	<b>OPTION(S)<sup>3</sup></b> DCC XPS

**SOURCE<sup>1</sup>** (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

SOURCE	CCT	Delivered Lumens	Power (Watts)
• L30K(H)	3000K	2400	32
• L30K(L)	3000K	1600	20
L35K(H)	3500K	2400	32
L35K(L)	3500K	1600	20
• L40K(H)	4000K	2400	32
• L40K(L)	4000K	1600	20

**VOLTAGE**

<b>MVOLT</b>	120-277V, 50/60 Hz
--------------	--------------------


**LENS OPTION<sup>2</sup>**

Diffuser is matte white acrylic if no diffuser option is selected

• KA	Kauri Lumicor
• OLIN	Oyster Linen Lumicor
• SL	Silver Spun Lumicor



KA



OLIN



SL

**OPTIONS<sup>3</sup>** (Multiple Selections Allowed)

⚠ Option availability may be interdependent with Other Options

<b>DCC</b>	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
<b>XPS</b>	Express 10 day shipping. Items marked with a bullet (●) are not available with XPS

# CB5504 BLUSH (cont.)

## 52" Sconce



### BLUSH PRODUCT FAMILY

- CB5500 - 28" Sconce
- CB5502 - 40" Sconce
- CB5504 - 52" Sconce

### SUGGESTED VARIATIONS

- Different Lumicor insert
- Remove windows
- Increase fixture length
- Custom color or material

See [Visalighting.com/products/Blush](https://visalighting.com/products/Blush) for more information

### FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#). For more information about our finishes visit [visalighting.com/finishes](https://visalighting.com/finishes)

#### Powder Coat Paint Finishes (Standard)

<b>AGGY</b> Agate Grey	<b>ALGN</b> Alpine Green	<b>BJBG</b> Baja Beige	<b>BMAT</b> Bronze Matte	<b>BRNZ</b> Bronze	<b>BSIL</b> Blade Silver	<b>CVBL</b> Cove Blue
<b>DEOR</b> Deoro Gold	<b>GLWT</b> Glacier White	<b>GSIL</b> Graphite Siver	<b>HRGR</b> Harbor Grey	<b>JTBK</b> Jet Black	<b>OCBL</b> Ocean Blue	<b>SHGR</b> Shoreline Grey
<b>SBGN</b> Sagebrush Green	<b>SLGR</b> Slate Grey	<b>SSTP</b> Sierra Taupe	<b>TRCN</b> Terracotta Canyon	<b>TRWT</b> Traffic White	<b>VBLK</b> Velvet Black	<b>VNRD</b> Vineyard Red

#### Alternative Metal Finishes (Premium)

<b>BBA</b> Brushed Brass Alternative	<b>BCA</b> Brushed Chrome Alternative	<b>BUA</b> Brushed Copper Alternative	<b>BZA</b> Brushed Bronze Alternative
<b>OBA</b> Oil-Rubbed Bronze Alternative	<b>PRA</b> Pewter Alternative	<b>RBA</b> Rustic Brass Alternative	<b>SNA</b> Satin Nickel Alternative

#### Metal Finish (Premium)

<b>BA</b> Brushed Aluminum