

FAIRFAX™

CM1081 and CM1083

Surface Mount Ceiling Units



Visalighting.com/products/Fairfax

Type: _____ Project: _____ Location: _____





DIMENSIONS†

Depth is measured from wall to front of fixture

W = Width H = Height


	CM1081	CM1083
W	19-1/8" (486 mm)	26-1/2" (673 mm)
H	5-3/4" (146 mm)	10-1/8" (257 mm)




FEATURES

- Integral driver
- Easy toolless bowl cleaning
- Mounts over standard electrical junction box (by others)
- Heavy gauge spun metal trim
- Thermally formed 1/8" thick white acrylic diffuser with matte finish
 - UV stable
 - UL-94 HB Flame Class rated
- No VOC powder coat paints; Low VOC clear coat on metal finishes
- ETL listed for damp locations. Not suited for exterior applications

RELATIVE SCALE DRAWING



PHOTOMETRICS



FAIRFAX (cont.)

CM1081 and CM1083

Surface Mount Ceiling Units



Fill in shaded boxes using information listed below

MVOLT					
MODEL¹ CM1081 CM1083 <i>See page 1</i>	SOURCE² L30K(H) L30K(L) L35K(H) L35K(L) L40K(H) L40K(L)	VOLTAGE MVOLT	FINISH <i>See last page for finish order codes</i>	DIFFUSER OPTION³ ABA	OPTION(S)⁴ AF DCC

SOURCE² (Select one)

Dimmable 0-10V to 10%, Minimum 80CRI, within 3-step MacAdam

SOURCE	CCT	CM1081		CM1083	
		Delivered Lumens	Power (Watts)	Delivered Lumens	Power (Watts)
L30K(H)	3000K	3300	52	6200	81
L30K(L)	3000K	2400	39	4100	54
L35K(H)	3500K	3300	52	6200	81
L35K(L)	3500K	2400	39	4100	54
L40K(H)	4000K	3300	52	6200	81
L40K(L)	4000K	2400	39	4100	54

VOLTAGE

MVOLT	120-277V, 50/60 Hz
--------------	--------------------

DIFFUSER OPTION³

Diffuser is matte white acrylic unless ABA option is selected

ABA	Hand Painted Alabaster Alternative
------------	------------------------------------



ABA

OPTIONS⁴ (Multiple selections allowed)

⚠ Option availability may be interdependent with Other Options

AF	Add Finial. Addition of AF option increases H dimension (height) by 1-1/8"
DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)

AF OPTION



FAIRFAX (cont.)

CM1081 and CM1083

Surface Mount Ceiling Units

FAIRFAX PRODUCT FAMILY

Sconces	19" Deep Bowl	• CB3472
	21" Shallow Bowl	• CB3474
Surface Mount Ceiling Units	19" Deep Bowl	• CM1081
	27" Shallow Bowl	• CM1083
Stem Suspension Pendants	27" Bowl	• CP4211
	35" Bowl	• CP4215
	42" Bowl	• CP4219
Rod Suspension Pendants	27" Bowl	• CP4271
	35" Bowl	• CP4275
	42" Bowl	• CP4279

SUGGESTED VARIATIONS

- Custom colors
- Integrate accents and trim from other product designs
- Larger diffuser sizes available

See [Visalighting.com/products/Fairfax](https://visalighting.com/products/Fairfax) for more information

FAIRFAX (cont.)

CM1081 and CM1083

Surface Mount Ceiling Units



FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#). For more information about our finishes visit visalighting.com/finishes

Powder Coat Paint Finishes (Standard)

AGGY Agate Grey	ALGN Alpine Green	BJBG Baja Beige	BMAT Bronze Matte	BRNZ Bronze	BSIL Blade Silver	CVBL Cove Blue
DEOR Deoro Gold	GLWT Glacier White	GSIL Graphite Siver	HRGR Harbor Grey	JTBK Jet Black	OCBL Ocean Blue	SHGR Shoreline Grey
SBNB Sagebrush Green	SLGR Slate Grey	SSTP Sierra Taupe	TRCN Terracotta Canyon	TRWT Traffic White	VBLK Velvet Black	VNRD Vineyard Red

Alternative Metal Finishes (Premium)

BBA Brushed Brass Alternative	BCA Brushed Chrome Alternative	BUA Brushed Copper Alternative	BZA Brushed Bronze Alternative
OBA Oil-Rubbed Bronze Alternative	PRA Pewter Alternative	RBA Rustic Brass Alternative	SNA Satin Nickel Alternative

Metal Finish (Premium)

BA Brushed Aluminum	PB Polished Brass
BB Brushed Brass	