

CP5640 SLEIGHT™

47" Pendant - Integral Driver



Visalighting.com/products/Sleight

Type: _____ Project: _____ Location: _____




DIMENSIONS

OAH is the distance (in inches) from the bottom of the fixture to the ceiling plane.
 Example - OAH(60) indicates an overall fixture height of 60"

W = Width L = Length OAH = Maximum Overall Height X = Body Height


W	3-1/4"	(83 mm)
L	47"	(1194 mm)
OAH	60"	(1524 mm)
X	1-1/2"	(38 mm)




FEATURES

- Integral driver
- Suspension cables carry low voltage power; one positive, one negative
- Fixture includes suspension cables to allow maximum overall height of 60". Cables are filed adjustable for over heights less than 60"
- Frosted acrylic diffuser
- Antimicrobial finishes (no VOC) on all interior and exterior painted surfaces
- ETL listed for damp locations. Not suited for exterior applications

RELATIVE SCALE DRAWING



PHOTOMETRICS



CP5640 SLEIGHT (cont.)

47" Pendant - Integral Driver



Fill in shaded boxes using information listed below

CP5640	-	MVOLT		
MODEL CP5640	SOURCE ¹ L30K(H) L30K(L) L35K(H) L35K(L) L40K(H) L40K(L)	VOLTAGE MVOLT	FINISH See last page for finish order codes	OPTION ² DCC

SOURCE² (Select one)

Dimmable 0-10V to 10%, Minimum 80CRI, within 3-step MacAdam

SOURCE	CCT	Delivered Lumens	Power (Watts)
L30K(H)	3000K	3350	86
L30K(L)	3000K	1450	39
L35K(H)	3500K	3400	86
L35K(L)	3500K	1500	39
L40K(H)	4000K	3400	86
L40K(L)	4000K	1500	39

VOLTAGE


MVOLT	120-277V, 50/60 Hz
--------------	--------------------

OPTION²

⚠ Option availability may be interdependent with Other Options

DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
------------	---

MOUNTING DETAIL



CP5640 SLEIGHT (cont.)

47" Pendant - Integral Driver



SLEIGHT PRODUCT FAMILY

Semi Recessed, Integral Driver	16"	• CV1970
	32"	• CV1972
Surface Mount, Low Voltage	16"	• CV1976PSX
	32"	• CV1980PSX
Pendants	47"	• CP5640
		• CP5640PSX

SUGGESTED VARIATIONS

- Custom color
- Ceiling to wall connection to continue up wall into ceiling
- Increase length (4" to 10" increments)

See [Visalighting.com/products/Sleight](https://visalighting.com/products/Sleight) for more information

CP5640 SLEIGHT (cont.)

47" Pendant - Integral Driver



FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#). For more information about our finishes visit visalighting.com/finishes

Powder Coat Paint Finishes (Standard)

AGGY Agate Grey	ALGN Alpine Green	BJBG Baja Beige	BMAT Bronze Matte	BRNZ Bronze	BSIL Blade Silver	CVBL Cove Blue
DEOR Deoro Gold	GLWT Glacier White	GSIL Graphite Silver	HRGR Harbor Grey	JTBK Jet Black	OCBL Ocean Blue	SHGR Shoreline Grey
SBGN Sagebrush Green	SLGR Slate Grey	SSTP Sierra Taupe	TRCN Terracotta Canyon	TRWT Traffic White	VBLK Velvet Black	VNRD Vineyard Red

Alternative Metal Finishes (Premium)

BBA Brushed Brass Alternative	BCA Brushed Chrome Alternative	BUA Brushed Copper Alternative	BZA Brushed Bronze Alternative
OBA Oil-Rubbed Bronze Alternative	PRA Pewter Alternative	RBA Rustic Brass Alternative	SNA Satin Nickel Alternative

Metal Finish (Premium)

BA Brushed Aluminum