


# CP4454 ARIES™

## 42" Diameter



[Visalighting.com/products/Aries](https://visalighting.com/products/Aries)

Type: \_\_\_\_\_ Project: \_\_\_\_\_ Location: \_\_\_\_\_




### DIMENSIONS<sup>4</sup>

OAH is the distance (in inches) from the bottom of the fixture to the ceiling plane.  
 Example - OAH(36) indicates an overall fixture height of 36"


**▲ OAH must be specified**

W = Width    OAH = Overall Height    X = Body Height


W	42"	(1067 mm)
X	4"	(102 mm)
OAH	36"	(914 mm)



### RELATIVE SCALE DRAWING



### PHOTOMETRICS



### FEATURES

- Integral driver
- Modular design for replacement of LED source and driver
- Mounts to standard electrical junction box (by others) for sloped ceiling up to 45° from horizontal
- Thermally formed 1/8" thick white acrylic diffuser with matte finish
  - UV stable
  - UL-94 HB Flame Class rated
- No VOC powder coat paint finish; low VOC clear coat on metal finishes
- ETL listed for damp locations. Not suitable for exterior applications



# CP4454 ARIES (cont.)

## 42" Diameter



Fill in shaded boxes using information listed below

CP4454	-						MVOLT
<b>MODEL</b>	<b>SOURCE<sup>1</sup></b> L30K(H) L30K(L) L35K(H) L35K(L) L40K(H) L40K(L)	<b>SOURCE OPTION<sup>2</sup></b> IEM	<b>VOLTAGE</b> MVOLT	<b>FINISH</b>  See last page for finish order codes	<b>OPTION<sup>3</sup></b> DCC	<b>OAH<sup>4</sup></b>  See page 1	

### SOURCE<sup>1</sup> (Select one)

Dimmable 0-10V to 1%, Minimum 83CRI, within 3-step MacAdam

Source	CCT	Delivered Lumens	Power/Watts
L30K(H)	3000K	22900	197
L30K(L)	3000K	16900	139
L35K(H)	3500K	23600	197
L35K(L)	3500K	17500	139
L40K(H)	4000K	24100	197
L40K(L)	4000K	17800	139

### VOLTAGE

MVOLT	120-277V, 50/60 Hz
-------	--------------------

### SOURCE OPTION<sup>2</sup>

⚠ Option availability may be interdependent with Voltage, Source or Other Options

<b>IEM</b>	Integral emergency battery pack, specify 120V or 277V
------------	---

### OPTION<sup>3</sup>

⚠ Option availability may be interdependent with Other Options

<b>DCC</b>	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
------------	---

# CP4454 ARIES (cont.)

## 42" Diameter



### ARIES PRODUCT FAMILY

- CP4450 - 22" Diameter
- CP4452 - 32" Diameter
- CP4454 - 42" Diameter

### SUGGESTED VARIATIONS

- Custom colors

See [www.Visalighting.com/products/Aries](http://www.Visalighting.com/products/Aries) for more information

### FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#). For more information about our finishes visit [visalighting.com/finishes](http://visalighting.com/finishes)

#### Powder Coat Paint Finishes (Standard)

<b>AGGY</b> Agate Grey	<b>ALGN</b> Alpine Green	<b>BJBG</b> Baja Beige	<b>BMAT</b> Bronze Matte	<b>BRNZ</b> Bronze	<b>BSIL</b> Blade Silver	<b>CVBL</b> Cove Blue
<b>DEOR</b> Deoro Gold	<b>GLWT</b> Glacier White	<b>GSIL</b> Graphite Siver	<b>HRGR</b> Harbor Grey	<b>JTBK</b> Jet Black	<b>OCBL</b> Ocean Blue	<b>SHGR</b> Shoreline Grey
<b>SBGN</b> Sagebrush Green	<b>SLGR</b> Slate Grey	<b>SSTP</b> Sierra Taupe	<b>TRCN</b> Terracotta Canyon	<b>TRWT</b> Traffic White	<b>VBLK</b> Velvet Black	<b>VNRD</b> Vineyard Red

#### Alternative Metal Finishes (Premium)

<b>BBA</b> Brushed Brass Alternative	<b>BCA</b> Brushed Chrome Alternative	<b>BUA</b> Brushed Copper Alternative	<b>BZA</b> Brushed Bronze Alternative
<b>OBA</b> Oil-Rubbed Bronze Alternative	<b>PRA</b> Pewter Alternative	<b>RBA</b> Rustic Brass Alternative	<b>SNA</b> Satin Nickel Alternative

#### Metal Finish (Premium)

<b>BA</b> Brushed Aluminum